










WHY WESMARC





WESMARC	INDIA'S MOST MODERN & LARGEST DOOR & FRAME MANUFACTURING	DOOR FRAME HARDWARE	 WESMARC DOORS	WESMARC WALL WRAP ADJUSTABLE FRAME	WESMARC REBATED DOOR LEAF
DOORS OF TOMORROW, FOR TODAY	WOOD ENGINEERED STEEL	YOU DESERVE THE BEST, SO WE MAKE THE BEST	OPEN. TOMORROW [®]	EXPERTISE INSTALLED	CREATING FIRST IMPRESSIONS
WESMARC DELIGHT STUDIO	OUR DOORS ARE NEVER OUT OF PLACE	WE THINK OF THE LITTLE THINGS FOR YOU	WESMARC	ELEGANT HARDWARES. EVERY DAY	 WESMARC DOORS
LOOKS SOPHISTICATED. FEELS INTELLIGENT.	DESIGN SAFETY DURABILITY	WESMARC TRAINING. ACADEMY.	SCIENCE INSIDE. SIMPLE OUTSIDE.	WESMARC On Wheels WESMARC Smart cube WESMARC Pods WESMARC Pavilion	WESMARC FULL DOOR = DOOR LEAF + FRAME (JAMB + ARCHITRAVE) + HARDWARE + ACCESSORIES + INSTALLATION PARTS
WOOD ENGINEERED STEEL MARC	INSTALLATION. MADE EASY.	THE BEST OF THE WORLD. CRAFTED FOR INDIA.	WESMARC IS DIFFERENT FROM THE REST	GERMAN ENGINEERED BHARAT MADE	wesmarcdoors.com









WESMARC IS DIFFERENT FROM THE REST

WESMARC emerges as the unrivaled leader in the Indian door industry, surpassing competitors with unmatched technological advancements, exceptional product quality, and unrivaled door aesthetics.




FEATURES	IMAGE	WESMARC DOORS	MARKET DOORS	FEATURE IMPORTANCE/IMPACT
DOOR				
3 SIDE REBATED		Wesmarc Rebated door offers a seamless appearance with enhanced aesthetics.	Straight door	1. Improved Sound Insulation 2. Enhanced Thermal Efficiency 3. Blocks external light
DOOR THICKNESS		Setting the global standard, our 45 mm and 42 mm thick doors deliver unmatched strength and durability.	30 to 36 mm thick	1. Increased Security 2. Enhanced Durability 3. Improved Sound Insulation
STILE & RAIL WIDTH		The 75 mm wide stile and rail inside door offers style and strength in one.	± 50 mm	1. Improved Functionality 2. Ingevity 3. Improved Durability
INFILL		Wesmarc has both Tubular Core or Solid core infill for versatile, reliable doors.	Tubular core /w Honeycomb	1. High strength-to-weight ratio 2. Stiffness and stability 3. Thermal insulation
DECK		Wesmarc provides doors with a versatile selection of 4mm or 5.5mm deck options to suit your specific needs.	± 3 mm / undisclosed	1. Enhanced durability 2. Improved Sound Insulation 3. Better thermal insulation
CPL VENEER		Italy and Germany import durable, easy-to-clean CPL veneer, costlier than natural veneer, but its longevity and stunning aesthetics justify the expense.	Veneers, PU, To be confirmed by client	1. Durability & Protection 2. Easy Maintenance 3. Aesthetics
EDGE BAND		Our 4-side edge band doors offer a seamless and refined appearance, ensuring a professional finish for any space.	4 side edge band	1. Protection 2. Aesthetics 3. Durability
GLUE FOR LAMINATION		Utilizing PUR glue for veneer lamination ensures a strong and reliable bond, resulting in a beautiful and long-lasting finish for your project.	D3 / Regular white glue	1. Adhesion 2. Moisture Resistance 3. Longevity and Durability
GLUE FOR EDGE BANDING		With PUR glue , our door edge banding achieves a strong and seamless bond, enhancing durability and aesthetics.	D3 / Regular white glue/ Hot melt	1. Secure Adhesion 2. Protection and Sealing 3. Enhanced Aesthetics

HARDWARES FOR DOOR




LOCK		Factory fitted Mortise lock and has been rated according to EN standards.	The standard offer does not include this particular item.	1. Security Assurance 2. Reliable Performance 3. Compliance with Regulations
CYLINDER		Euro profile cylinder with 5 ultra-security keys, Computer cut. Tested for 200,000 cycles for durability and reliability.	The standard offer does not include this particular item.	1. Enhanced Security 2. Reliable Performance 3. Peace of Mind
HINGE		German imported 2 and 3 element hinges with adjustable feature for precise door alignment and versatile installation options.	Butterfly hinges have limitations in terms of 180° opening, adjustability and load-bearing capacity.	1. 180-degree opening 2. Load-Bearing Capacity 3. Adjustability
SECURITY LOCKING BOLT ENTRANCE		3 Security locking bolts , Intelligent solution to additionally secure entrance door ways.	Not possible	1. Enhanced Security 2. Deterrent to Intruders 3. Peace of Mind


FEATURES	IMAGE	WESMARC DOORS	MARKET DOORS	FEATURE IMPORTANCE/IMPACT
FRAME				
WALL WRAP FRAME		Wraps the full thickness of wall for a seamless look, and enhanced structural support.	The block frame may not warp or cover the whole wall thickness.	1. Superior Structural Integrity 2. Seamless Wall Integration 3. Enhanced Aesthetics
ADJUSTABLE FRAME		The adjustable frame with an additional 20mm on the wall thickness offers versatility in door installation	Not possible	1. Versatile size Compatibility 2. Easy installation 3. Improved Aesthetics
WALL TOLERANCES		Both side extension/Ledge= +30/-50mm One side extension/Ledge= +30/-20mm	± 5mm or Not possible	1. Easy installation 2. Smoother installation 3. Improved longevity
ENG. WOOD ARCHITRAVE 60MM		Wesmarc offers a premium finish to their doors with incorporating a 60mm engineered wood frame architrave .	± 30mm wide architrave	1. Increased Structural Support 2. Concealment of Gaps 3. Enhanced Aesthetic Appeal
CPL VENEER WRAPPED		CPL veneer imported from Italy and Germany	Veneers, PU , To be confirmed by client	1. Enhanced Visual Appeal 2. Durability and Resilience 3. Easy Maintenance
BOTTOM SIDE WATER SEALANT		Wesmarc doors feature a bottom-side water sealant on the door frame, providing moisture protection .	Bottom-side water sealant on the door frame.	1. Moisture Protection 2. Enhanced Durability 3. Extended Lifespan
45 DEGREE MITRE JOINT		Wesmarc door frames feature 45-degree miter joints for the frame corners	traditional market door frames often utilize butt joints	1. Enhanced Aesthetics 2. Improved Structural Integrity 3. Reduced Visible Gaps
GLUE FOR WRAPPING		PUR Glue for Veneer wrapping	D3 / Regular white glue	1. Adhesion 2. Moisture Resistance 3. Longevity and Durability

HARDWARES FOR FRAME

STRIKER PLATE		Wesmarc has Rounded Striker Plates with Color Matched Plastic Masking Cap	Typically have straight plates that lack color matching capabilities .	1. Reinforced security 2. Privacy enhancement 3. Extended Door Lifespan
CO-EXTRUDED ACOUSTIC SEAL		Wesmarc's Co-extruded Acoustic Seal with Color Variation and Built-in Grips/ Anchors .	No seal	1. Superior sound insulation 2. Gentle, soft closing. 3. Aesthetic Integration
HINGE BRACKET		Wesmarc has Hinge Bracket for Holding and Adjusting Hinges	Lack a dedicated bracket , making it challenging to align the door .	1. Flexibility in Alignment 2. Simplified Installation 3. Improved Door Functionality

INSTALLATION

HIDDEN ANCHOR FAST-NERS		Wesmarc door systems feature a superior anchoring technology that is hidden inside the back of the frame, ensuring a clean and seamless appearance.	Anchor bolts that are visible .	1. Enhanced Security 2. Aesthetically Pleasing 3. Enhanced Security
ALL FIXING CLAMPS AND FIXTURES		Wesmarc's inclusion of all necessary fixtures in their offer can provide added value and peace of mind for customers.	Installers to source standard fixtures locally .	1. Convenience and Compatibility 2. Consistency and Quality Control 3. Time and Cost Considerations
EASY INSTALLATION		Wesmarc doors with factory-fitted hardware featuring modern technology. Simply installed by 2 hands in 60 min.	Challenging & Time-consuming	1. Time Efficiency 2. Simplified Installation 3. Enhanced Functionality



INDIA'S MOST
MODERN & LARGEST
DOOR & FRAME MANUFACTURING

VISIT OUR FACTORY

Wesmarc Doors Technik Pvt Ltd

#61/B1, 61/B2 & 61/C

Bommasandra Industrial Area, Bengaluru- 99

Tel: 9880918981. E-Mail: namaste@wesmarcdoors.com

VISIT OUR DELIGHT STUDIO

Wesmarc House

#2023, 2nd Floor, 100 Ft Rd

Indiranagar, Bangalore-08

Tel: 9880918981. E-Mail: namaste@wesmarcdoors.com

German Engineered. Bharat Made

WHY WESMARC

Doorways divide and connect worlds.
They form both the first and last impression.
They are quiet in their presence, and yet speak
volumes about the space they secure.
They give you a sense of safety when you enter
and a sense of reassurance when you are out.
They offer a glimpse of life as it could be, and
also of how far a journey it's been.

Doors are the quiet chroniclers of life,
and every time you step through a door,
you pick up a story where you left off.

So, we believe that every time you open a door, you

OPEN.®
TOMORROW

